## DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T. B. C. : AM – II.
Serial No.

Test Booklet Series



## **TEST BOOKLET**

AYURVEDIC MEDICAL OFFICER
PAPER – II

Time Allowed : 1 ½ Hours

Maximum Marks: 100

## : INSTRUCTIONS TO CANDIDATES :

- 1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET **DOES NOT** HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF THE SAME SERIES ISSUED TO YOU.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES **A**, **B**, **C** OR **D**, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
- 3. You have to enter your Roll No. on the Test Booklet in the Box provided alongside. DO NOT write anything else on the Test Booklet.
- 4. This Test Booklet contains 100 items (questions). Each item (question) comprises four responses (answers). You have to select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), you should mark (darken) the response (answer) which you consider the best. In any case, choose ONLY ONE response (answer) for each item (question).
- You have to mark (darken) all your responses (answers) ONLY on the separate Answer Sheet provided, by using BALL POINT PEN (BLUE OR BLACK). See instructions in the Answer Sheet.
- 6. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked by you in the Answer Sheet. **There will be negative markings for wrong answers**. 25 percent of marks allotted to a particular item (question) will be deducted as negative marking for every wrong response (answer).
- 7. Before you proceed to mark (darken) in the Answer Sheet the responses to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your **Admission Certificate**.
- 8. After you have completed filling in all your responses (answers) on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the Answer Sheet issued to you. You are allowed to take with you the candidate's copy/second page of the Answer Sheet along with the Test Booklet after completion of the examination for your reference.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

	•		
1.	"Gyansayabhavo Bhav Ev Ch" is :	7.	Best Vishaghana Dravya is :
	(A) Manasya Guna		(A) Vatsanabha
	(B) Manasya Vishyas		(B) Shirisha
	(C) Manasya Lakshna		(C) Swarna
	(D) Atma Guna		(D) Ghrita
2.	According to Charaka in a pregnant woman "Spandana" occurs in:	8.	Neshtaki Chikitsa was first described by:
	(A) Second Month		(A) Vagbhata
	(B) Third Month		(B) Sushruta
	(C) Fourth Month	. •	(C) Bhavamisra
	(D) Fifth Month	; .	(D) Charaka
3.	How many chapter are in Charak	9.	According to Charaka Anjali Pramana of Rasa Dhatu is:
	Nidan Sthan ?	1 · · ·	(A) 10
	(A) 8	-	(B) 8
	(B) 16		(C) 6
	(C) 10		(D) 9
4.	(D) 12 Triskandha is:	10.	Which disorder is produced by Trishna Vega Dharna?
7.	(A) Hetu, Linga, Aushad	. •	(A) Akshi Roga
	(B) Vata, Pitta, Kapha		(B) Manya Stambha
	(C) Hetu, Dosha, Dravya		(C) Badhirya
	(D) Satva, Atma, Sharir		(D) Ardit
5.	"Ardita" Vyadhi is related with :	11.	Swedavaha Srotas Mool are:
<b>.</b>	(A) Shakha	111	(A) Medha and Jangha
	(B) Madhyam Roga Marga		(B) Medha and Lomkoopa
	(C) Abhyantar Roga Marga	,	(C) Asthi and Sandhi
	(D) None of these		(D) Snayu and Twaka
_		12.	Proper time for applying Tikshanjana
6.	Astakatvar taila is indicated mainly in:	12.	is:
	(A) Raktapitta		(A) Madhyana
	(B) Jwara	. 1	(B) Purvahana
	(C) Kushta	·,	(C) Ratri
	(D) Urustambha		(D) Any time

	•		
3.	Adanakal consists of which Ritus?	18.	Anusanga Vyadi is :
	(A) Shishir, Basant, Grisham		(A) Rajayakshama
	(B) Shishir, Sharad, Grisham		(B) Prameha
	(C) Varsha, Sharad, Hemant		(C) Kushta
	(D) Varsha, Basant, Hemant		(D) Jwara
14.	According to Charaka Sandhi-shethalya is lakshana of :	19.	Swabhavoparama Siddhanta is described in :
	(A) Medha kshaya		(A) Ch. Sut. 16
	(B) Asthi kshaya		(B) Ch. Sut. 12
	(C) Majja kshaya		(C) Ch. Sut. 24
	(D) Shukra kshaya		(D) Ch. Sut. 23
15.	Bhayaja Atisara and Shokaj Atisara resembles with the symptoms of:  (A) Pittaj atisara  (B) Kaphaj atisara  (C) Amaj atisara  (D) Vataj atisara  The Satmya due to abhyasa is known as:  (A) Ritu satmya  (B) Desh satmya  (C) Kala satmya	20.	Sound intolerance is due to:  (A) Majja Dhatu Kshaya  (B) Medho Dhatu Kshaya  (C) Asthi Dhatu Kshaya  (D) Rasa Dhatu Kshaya  Which of the following pair is true?  (A) Swedana-Stambhana  (B) Langhana-Snehana  (C) Snehana-Stambhana  (D) Rukshana-Swedana
	(D) Oka satmya	22.	According to Acharya Charaka,
17.	Ahara, Nidra, Brahmacharya are:  (A) Trividha Bala  (B) Triskanda  (C) Trayoupastambha  (D) Trividha Esanas		"Lashuna Ksheerpaaka" is used in which of the following disease?  (A) Haradyaroga  (B) Gulma  (C) Vatvyadhi  (D) Vatrakta

23.	In which disease, Acharya Charaka				
1.	use	"Takrarishta"?			
	(A)	Arsha Chikitsa			
	(B)	Gulma Chikitsa			
	(C)	Udarrog Chikitsa			
	(D)	Yakshma Chikitsa			
24.	Whi	ch of the following is specially			
	use	d in Rajyakshama treatment?			
	(A)	Varah Maansa			
	(B)	Gavya Maansa			
	(C)	Aja Maansa			
	(D)	All of these			
25.	"Pratimarga Haranam" Chikitsa is				
	used in which of the following				
	dise	ase ?			
	(A)	Yakshma			
	(B)	Jwara			
	(C)	Raktpitta			
	(D)	Kaas			
26.	"Pra	kriti Vighaat" Chikitsa is used in :			
	(A)	Prameha Pidika			
	(B)	Madhumeha			
	(C)	Kandu			
	(D)	Krimi			
27.	Best	t medicine for "Kushtha" Vyadhi :			
	(A)	Vacha			
	(B)	Ativisha			
	` '	Khadir			
		Haridra			

- 28. "Shadadharan Churna" is used by Acharya Sushruta in which disease?
  - (A) Yakshma
  - (B) Urustambha
  - (C) Vaatvyadhi
  - (D) None of these
- 29. "Pinda Taila" is used by Acharya Charaka in :
  - (A) Grahini
  - (B) Vaatrakta
  - (C) Kshatasheena
  - (D) Swasroga
- 30. In Madatyaya, if Madhya is given then it is included in which type of treatment?
  - (A) Hetu Vipreet Chikitsa
  - (B) Vyadhi Vipreet Chikitsa
  - (C) Hetu Vipreet Arthkaari
  - (D) Hetu Vyadhi Vipreet Arthkari Chikitsa
- 31. Maanas Roga Chikitsa is:
  - (A) Dhairya
  - (B) Smriti
  - (C) Samadhi
  - (D) All of these

32.	Atatvaabhenivesha treatment is		37.	Haemophilia B is due to the	
	given in which of the following			deficiency of :	
	chap	eter?		(A)	Factor VIII
	(A)	Unmaad Chikitsa		(B)	Factor IX
	(B)	Apasmaar Chikitsa		(C)	Factor VII
	(C)	Murchha Chikitsa		(D)	Factor X
	(D)	Chhardi Chikitsa	38.	Adve	erse effect of Ethambutol :
33.	Bha	ishajya Kaal in Apaan Vaya		(A)	Optic Nerve damage
	Vigu	ntaa :		(B)	Hyperuricemia
	(A)	Aahara Purva		(C)	Hypersensitivity
	(B)	Aahara Madhya		(D)	All of these
	(C)	Pratah Kaala	39.	Heat regulation centre is located in :	
	(D)	Aahara Aanta		(A)	Hypothalamus
34.	Idea	treatment for Krisha Purusha:		(B)	Thalamus
	(A)	Vrahana		(C)	Pons
	(B)	Laghu, Santarpana		(D)	Medulla
	(C)	Guru, Aptarpana	40.	Whi	ch of the following disease is
	(D)	None of these	10.	water borne disease?	
35.	Sirav	vedhana position in Plihaudara :		(A)	Malaria
	(A)	Jaanu		(B)	Dengue
	(B)	Shankha		(C)	Cholera
	(C)	Karpura Sandhi		(D)	None of these
	(D)	Vankshana	41.	Wha	at is the name of First Chapter of
36.	Hode	gkin disease is related with :		Sust	nruta Samhita Sutrasthana?
	(A)	Bones		(A)	Dirghajivitiya Adhyaya
	(B)	Thyroid gland		(B)	Vedotapatti
	(C)	Pineal Body		(C)	Ayushkamya
	(D)	Lymph nodes		(D)	Yogya Sutraya

42.	Which one of these of Savisha  Jaloka?	47.	stambhan Kriya ?	
	(A) Savarika		(A) Dahan and Pachan	
	(B) Samudrika		(B) Badhan and Patan	
	(C) Mushika		(C) Vimlapan and Avasechan	
	(D) Kapila		(D) Raktamokshan and Vishravan	
43.	Total number of Vranaupkrama	48.	Ksharsutra Nirman Vidhi has been	
	according to Acharya Sushruta:		described in :	
	(A) 6		(A) Sushruta Samhita	
	(B) 27		(B) Charaka Samhita	
	(C) 36		(C) Astang Sangraha	
	(D) 60		(D) Chakraduta	
44.	According to Sushruta Cheena	49.	According to Vagbhata which one of	
	Bandha is used at :		the following is Shastrakarma?	
	(A) Apanga Pradesh		(A) Vivarna	
	(B) Lalat Pradesh		(B) Kuttan	
	(C) Ura Pradesh		(C) Nirghatan	
	(D) None of these		(D) Bhajan	
45.	Which one of these is Pradhantum	50.	According to Sushruta types of Arsha	
	Yantra?		are:	
	(A) Kankamukha		(A) 4	
	(B) Hasta		(B) 5	
	(C) Nakha		(C) 6	
	(D) Shalaka		(D) 7	
46.	Types of Kshara according to	51.	Agnikarma is contraindicated in	
	Sushruta:		which type of Bhagandara?	
	(A) 2		(A) Shataponaka	
	(B) 3		(B) Ustagriva	
	(C) 4		(C) Parisharvi	
	(D) 5		(D) Unmargi	

(6)

JV - 2A/11

Contd.

52.	Types of Kanda Bhagana according		57.	Which one of the following is Netra		
•	to Su	ıshruta :	•	Roga?		
	(A)	6		(A)	Alaji	
	(B)	8		(B)	Chipa	
	(C)	10	ć	(C)	Vidalak	
	(D)	12		(D)	Deeptai	
53.	Rule	of nine is related with :	58.	Hat	Adhimantha is :	
	(A)	Oedema		(A)	Sadhya	
	(B)	Bum		(B)	Yapya	
	(C)	G. B. Syndrome		(C)	Asadhya	
,	(D)	Measurement of Height of		(D)	Krichha Sadhya	
-		Neonates	<b>59</b> .	Mhi	ch of the following is Danta-	
54.	Mur	ohy's sign found in :	<b>ఫ</b> 8.		olgat Roga?	
	(A)	Acute Peritonitis		(A)	Shitad	
	(B)	Acute Pancreatitis		` '	Vardhan	
	(C)	Acute Cholecystitis		(B)		
	(D)	Acute Appendicitis		(C)	Shoshir	
55.	The	condition in which store are		(D)	All of these	
	present in Gall Bladder is known as :		60.	Dhoomayan is the clinical feature of:		
	(A)	Cholecystitis		(A)	Pratishyaya	
	(B)	Cholecystectomy		(B)	Bhranshthu	
	(C)	Cholelithiasis		(C)	Nasadipta	
	(D)	Cholecystomy		(D)	Chvathu	
56.	Tota	al number of Netra Patal	61.	Whi	ich dosha is Vitiated in Karna	
	des	cribed by Sushruta :		Bhadhirya?		
	(A)	4		(A)	Vata	
	(B)	5		(B)	Pitta	
	(C)	6		(C)	Vata-Kapha	
	(D)	7		(D)	Tridosha	
.IV -	- 2A/1	1 (	(7)		(Turn over)	

(7)

JV - 2A/11

62.	Raised intra-ocular pressure is seen in :		67.	Total number of varieties of Mudhgarbha according to Sushruta:		
		ome		(A)	7	
	` '			(B)	4	
	<b>、</b> ,	of these		(C)	6	
	( - /	of these		(D)	8	
63.	` '	ema is oedema of :	68.		rtva is the specific symptom in	
	(A) Retina			which yoni vyapada?		
	(B) Optic			(A)	Vandhya	
	(C) Corne			(B)	Shandi	
	• •	of these		(C)	Udavarta	
•	( )			(D)	Putraghni	
64.	Which of the following disorder is		69.	Con	nmon symptoms of all the	
	fatal if not treated?		09.	Pradara is:		
	•	vabhedhak		(A)	Angamarda and Vedna	
		yatovata			Anartva and Astanya	
	,	tavata		(B)	Vaman and Kasa	
	(D) Shan	Knak		(C)	Anartva and Avedna	
65.	The test u	sed for comparing the		(D)	Allattva aliu Avedila	
	degree of deafness in two ears :		70.	In which yoni vyapad, shukra is		
	(A) Snelle	en's Test		expe	elled out from the yoni:	
	(B) Scho	wabach's Test		(A)	Udavarat	
	(C) Rinne	es Test		(B)	Vipluta	
	(D) Webe	er's Test		(C)	Putraghani	
66.	According	to Sushruta, in which		(D)	Vamini	
	month preg	nant women should enter	71.	Whi	ich drug is used by Acharya	
	in Sutikagr	aha?		Cha	ıraka for Punsvan Karma ?	
	(A) 8 <sup>th</sup> m	onth		(A)	Kumari	
	(B) 9 <sup>th</sup> m	onth		(B)	Shrengaveer	
	(C) 10 <sup>th</sup> r	nonth o		(C)	Vatashringa	
	(D) 7 <sup>th</sup> m	onth		(D)	Kapikachhu	

(8)

JV - 2A/11

Contd.

72.		hna Kanchuki sarpa dhoom is	77.	Asta	ang Ghrita is indicated for :
	used			(A)	Medhavradhi
	(A)	Garbha Strava		(B)	Nidravradhi
	(B)	Garbhapata		(C)	Agnivradhi
	(C)	Garbhasangha		(D)	Malavradhi
	(D)	Modhagarbha	70	Λ m m	maka ia tha dianana af
73.	Norr	mal value of Amniotic fluid is :	78.		maka is the disease of:
	(A)	300-400 ml		(A)	Udara Roga
	(B)	400-500 ml		(B)	Guda Roga
	(C)	600-800 ml		(C)	Mutra Roga
	(D)	1000 ml		(D)	Vidhradi Roga
74.	Ferti	ilization in human beings usually	79.	Tota	al number of varieties of Bal
	occi	ır in :		Gra	ha according to Sushruta :
	(A)	Uterine Fundus		(A)	11
	(B)	Isthamus of Fallopian tube		(B)	13
	(C)	Interstitial Portion of fallopian tube		(C)	9
	(D)	Ampulla of fallopian tube		(D)	24
75.	Godell's sign is :		80.	Acc	ording to Kashypa Raj Taila is
	(A)	Softening of cervix	*	indicated in:	
	(B)	Softening of lower part of body		(A)	Twaka Roga
	(-)	of uterus		(B)	Pratishyaya
	(C)	Asymmetrical growth of uterus		(C)	Fakka Roga
	(D)	Contraction of uterus		(D)	Kshiralsaka
76.	A ch	ild upto 2 years is known as :	81.	Whi	ch Acharya consider Kakunaka
	(A)	Anadha		as D	antoudabheda janya vyadhi?
	(B)	Kshiranadha		(A)	Charaka
	(C)	Kshripa		(B)	Vagbhata
	(D)	None of these		(C)	Kashayapa
	• •			(D)	Sushruta
JV - 2A/11		(9)		(Turn over)	

82.	Sunset sign is found in:	87.	Which of the following is included in	
	(A) Encephalitis		Agni sweda according to Acharya	
	(B) Meningitis		Charaka?	
	(C) Hydrocephalus	· ·	(A) Upnaaha	
	(D) Epilepsy		(B) Krodha	
			(C) Awgaahan	
83.	Number of teeth in primary dentition		(D) Bahupaan	
	are:	88.	"Yusha" is the anupaan of:	
	(A) 24		(A) Ghrita	
	(B) 25		(B) Majja	
	(C) 27		(C) Taila	
	(D) 20		(D) Vasa	
84.	Child crawl in :	89.	Virechan Karma is having number of	
	(A) 10 month		vega in case of Uttam Shudhi?	
	(B) 11 month		(A) 30	
	(C) 12 month		(B) 20	
	(D) 13 month		(C) 10	
	· <i>'</i>		(D) 15	
85.	Influenza vaccines is used in children:		Number of Basti vyapaad according	
	(A) < than 6 month		to Acharya Charaka :	
	(B) > 6 month		(A) 10	
	(C) Both of these		(B) 12	
	(D) Neonates		(C) 8	
86.	According to Acharya Charaka		(D) 25	
	number of Saagni sweda are:		According to Acharya Charaka, total	
	(A) 10		number of Karma Basti are :	
	(B) 12		(A) 20	
			(B) 30	
	(C) 13		(C) 10	
	(D) 14		(D) 15	
.IV -	- 2A/11 (1	0)	Contd.	

(10)

JV - 2A/11

92.		ording to Acharya Charaka dha Chikitsa" is :	\$ <sup>*</sup>	(C)	Anuvaasana Basti
				(D)	Sneha Basti
	(A)	Rakta Mokshana	97.	Anu	vaasan Basti is used :
	(B) (C)	Vaman Chikitsa Basti Chikitsa		(A)	Before meal
	(D)	Siravedhana		(B)	Just after meal
93.				(C)	Both of these
<b>0</b> 0.		Bhautik Sangathan of Virechan Dravya is:		(D)	None of these
	(A)	Prathvi + Jal	98.	Acc	ording to Acharya Charaka,
	(B)	Agni + Jal		length of Uttar Basti Netra in female	
	(C)	Prathvi + Agni		(A)	5 Angula
	(D)	Agni + Vayu		(B)	6 Angula
94.	Whi	Which sneha maatra will cause		(C)	8 Angula
	"Mai	nda Vibhransh" ?		(D)	10 Angula
	(A)	) Heen		Niru	ha Basti Pratyagamana Kaal is :
	(B)	) Madhyam		(A)	1 Muhuruta
	(C)	Uttam		(B)	2 Muhuruta
	(D)	None of these		(C)	10 Muhuruta
95.	Number of Basti netra dosha			(D)	5 Muhuruta
	acco	ording to Acharya Charaka are :			
	(A)	6	100.		ording to Acharya Sushruta
	(B)	11			ovirechanik nasya madhyam
	(C)	10			rais:
	(D)	8		(A)	4 drops
96.	Yukt	aratha basti is :		(B)	5 drops
	(A)	Niruha Basti		(C)	8 drops
	(B)	Maatra Basti		(D)	6 drops

## SPACE FOR ROUGH WORK