

1. The renal medulla is composed of tissue called _____.
 - a. Renal pyramids
 - b. Nephrons
 - c. Renal sinus
 - d. Renal pelvis Answer: a

2. Juxtaglomerular cells combine with _____ cells to form the juxtaglomerular apparatus in the kidney.
 - a. Macula densa
 - b. Renal pelvis
 - c. Nephron
 - d. Renal sinus Answer: a

3. Which of the following is not in the sequence of proper kidney blood flow? The starting point is the renal artery and the finishing point is the renal vein.
 - a. Arciform artery
 - b. Afferent arteriole
 - c. Interlobar vein
 - d. Arciform vein Answer: c

4. Which is found in the highest concentration in the urine?
 - a. Uric acid
 - b. Urea
 - c. Glucose
 - d. Creatinine Answer: b

5. The primary function of the ascending loop of Henle in the kidney is?
 - a. The active reabsorption of sodium
 - b. The active reabsorption of chloride ions
 - c. The passive reabsorption of potassium
 - d. The passive reabsorption of urea Answer: b

6. The middle layer of the urinary bladder is identified as _____.
 - a. Mucous coat
 - b. Submucous coat
 - c. Muscular Coat
 - d. Sphincter Coat Answer: b

7. The micturition reflex center is located in the _____.
 - a. Pons
 - b. Midbrain
 - c. Lumbar plexus
 - d. Sacral plexus Answer: d

8. Which of the following match with the definition: a poor output of urine?
 - a. Oliguria
 - b. Pyruia
 - c. Enuresis
 - d. Diuresis Answer: a

9. Capillary loops located in the medulla are also known as _____.
 - a. Vasa recta

- b. Urea collectors
- c. Trigone
- d. Macula densa Answer: a

10. The primary function of the descending loop of Henle in the kidney is?

- a. Reabsorption of sodium ions
- b. Reabsorption of water by osmosis
- c. Secretion of hydrogen ions
- d. Secretion of potassium ions Answer: b

11. Which of the following is not considered a part of the male urethra?

- a. Prostatic
- b. Membranous
- c. Vasopore
- d. Penile Answer: c

12. When glucose is found in urine it is called _____.

- a. Glucosuria
- b. Uremia
- c. Ureteritis
- d. Glucose intolerance Answer: a

13. Which of the following is not considered a component of kidney stones?

- a. Calcium phosphate
- b. Uric Acid
- c. Calcium oxalate
- d. HCO₃ Answer: d

14. The one of the functions occurring at the distal convoluted tubule in the kidney is?

- a. Passive secretion of hydrogen ions
- b. Passive secretion of potassium ions
- c. Limited reabsorption of water
- d. No reabsorption of sodium Answer: b

15. ADH has which of the following effects on the distal convoluted tubule?

- a. Decrease water reabsorption
- b. Increase water reabsorption
- c. Decrease the concentration of urine
- d. Increase the urine volume Answer: b

16. Which of the following is not associated with the role of the kidneys?

- a. Release of erythropoietin (hormone)
- b. Release of renin (enzyme)
- c. Release of Vitamin E
- d. Activate Vitamin D Answer: c

17. Each kidney contains approximately _____ nephrons.

- a. 10 million
- b. 1 million
- c. 100,000
- d. 10,000 Answer: b

18. The release of Angiotension II causes which of the following to occur?
- Increased filtration rate
 - Decreased glomerular hydrostatic pressure
 - Increase synthesis of Vitamin E
 - Increased release of erythropoietin
- Answer: a
19. Which of the following is an effect of a diuretic?
- Decreased Cardiac Output
 - Increased fluid volume
 - Increased sodium reabsorption
 - Increased chloride ion reabsorption
- Answer: a
20. Which of the following is not considered a loop diuretic?
- Bumetadine (BUMEX)
 - Furosemide (LASIX)
 - Chlorthiazide (DIURIL)
 - Ethacrynic Acid (EDECIN)
- Answer: c
21. Which of the following is not one of the key steps in the grief process?
- Denial
 - Anger
 - Bargaining
 - Rejection
- Answer: d
22. Which of the following matches the definition: Covering up a weakness by stressing a desirable or stronger trait?
- Compensation
 - Projection
 - Rationalization
 - Dysphoria
- Answer: a
23. Which of the following waveforms is most commonly found with light sleepers?
- Theta
 - Alpha
 - Beta
 - Zeta
- Answer: a
24. Which of the following months matches with an infant first having the ability to sit up independently?
- 4 months
 - 6 months
 - 8 months
 - 10 months
- Answer: b
25. Object permanence for toddlers develops in this age range?
- 5 – 10 months
 - 10 – 14 months
 - 12 – 24 months
 - 15 – 24 months
- Answer: a
6. Which of the following matches the definition: Attributing of our own unwanted trait onto another person?

- a. Compensation
- b. Projection
- c. Rationalization
- d. Dysphoria Answer: b

7. Which of the following matches the definition: The justification of behaviors using reason other than the real reason?

- a. Compensation
- b. Projection
- c. Rationalization
- d. Dysphoria Answer: c

8. Which of the following matches the definition: Response to severe emotion stress resulting in involuntary disturbance of physical functions?

- a. Conversion disorder
- b. Depressive reaction
- c. Bipolar disorder
- d. Alzheimer's disease Answer: a

9. Which of the following waveforms is most commonly found when you are awake?

- a. Theta
- b. Alpha
- c. Beta
- d. Zeta Answer: c

10. The REM sleep cycle occur approximately every _____ minutes?

- a. 45
- b. 60
- c. 75
- d. 90 Answer: d